





Aluminum Cased and Uncased Heat Pump / Cooling Coils 1 1/2 - 5 Ton

2/4TXA, 2/4TXC

Heat Pump /Cooling Coils for R-22 and R-410A



PUB. NO. 22-1813-02

Aluminum Heat Pump Coil Nomenclature

	2	T	X	A	B	0	3	6	B	C	3	H	U	A	A
Refrigerant Type 2 - R22 4 - R410A															
Product Family T-Premium (Heat Pump or Convertible Coil)															
Coil Design X - Direct Expansion Evaporator Coil															
Product Family C - Cased A Coil A - Uncased A Coil F - Cased Horizontal Flat Coil															
Coil Width (Cased/Uncased) A - 14.5" / 13.3" B - 17.5" / 16.3" C - 21.0" / 19.8" D - 24.5" / 23.3" H - 10.5"															
Refrigerant Line Coupling 0 - Brazed															
Nominal Capacity in 000's of BTU's															
Major Design Change															
Efficiency C - Standard S - Hi Efficiency															
Refrigerant Control 3 - TXV - Non-Bleed															
Coil Circuitry H - Heat Pump															
Airflow Configuration A - Upflow Only U - Upflow / Downflow H - Horizontal Only C - Convertible - Upflow, Downflow, Left or Right Airflow															
Minor Design Change															
Unit Parts Identifier															



General Data

Optional Accessories

13 SEER Coil Enclosures				
Model Number	Coil Cooling or Heat Pump		Used With Furnaces Flush on Both Sides	Dimensions (in.) H x W x D
BAYCLE14A1422A	2/4TXAA018BC3HUA 2/4TXAA024BC3HUA	TXA018C4 TXA024C4 TXA030C4	14-1/2" Wide Furnaces	22-1/2 x 14-1/2 x 21-1/2
BAYCLE17A1722A	2/4TXAB025BC3HUA 2/4TXAB031BC3HUA 4TXAB032BC3HUA 2/4TXAB036BC3HUA 2/4TXAB042BC3HUA 2/4TXAB048BC3HUA	TXA025C4 TXA031C4 TXA035C4 TXA036C4 TXA042C4 TXA048C4	17-1/2" Wide Furnaces	22-5/8 x 17-1/2 x 21-1/2
BAYCLE21A2130A	2/4TXAC037BC3HUA 2/4TXAC043BC3HUA 4TXAC044BC3HUA 2/4TXAC049BC3HUA 2/4TXAC060BC3HUA	TXA037C4 TXA043C4 TXA049C4 TXA060C5 RXA060S3	21" Wide Furnaces	30 x 21 x 21-1/2
BAYCLE24A2430A	2/4TXAD050BC3HUA 2/4TXAD061BC3HUA 2/4TXAD064BC3HUA	TXA061C5 RXA061S3	24-1/2" Wide Furnaces	30 x 24-1/2 x 21-1/2



General Data

NON-BLEED TXV KITS		
Coils	R410A	R22
2/4TXC, TXA - 018	4AYTXVH3D1831A	2AYTXVH3C1818A
2/4TXC, TXA - 024	4AYTXVH3D1831A	2AYTXVH3C2425A
2/4TXC, TXA - 025	4AYTXVH3D1831A	2AYTXVH3C2425A
2/4TXC, TXA - 030	4AYTXVH3D1831A	2AYTXVH3C3031A
2/4TXC, TXA - 031	4AYTXVH3D1831A	2AYTXVH3C3031A
4TXC, TXA - 032	4AYTXVH3D3343A	2AYTXVH3C3337A
2/4TXC, TXA - 036	4AYTXVH3D3343A	2AYTXVH3C3337A
2/4TXC, TXA - 037	4AYTXVH3D3343A	2AYTXVH3C3337A
2/4TXC, TXA - 042	4AYTXVH3D3343A	2AYTXVH3C4243A
2/4TXC, TXA - 043	4AYTXVH3D3343A	2AYTXVH3C4243A
4TXC, TXA - 044	4AYTXVH3D4863A	2AYTXVH3C4850A
2/4TXC, TXA - 048	4AYTXVH3D4863A	2AYTXVH3C4850A
2/4TXC, TXA - 049	4AYTXVH3D4863A	2AYTXVH3C4850A
2/4TXC, TXA - 050	4AYTXVH3D4863A	2AYTXVH3C4850A
2/4TXC, TXA - 060	4AYTXVH3D4863A	2AYTXVH3C5463A
2/4TXC, TXA - 061	4AYTXVH3D4863A	2AYTXVH3C5463A
2/4TXC, TXA - 064	4AYTXVH3D4863A	2AYTXVH3C5463A



General Data

PRODUCT SPECIFICATIONS^[1] 2/4 TXA-BC UNCASED UPFLOW / DOWNFLOW

	2/4TXAA018BC3HUA				2/4TXAA024BC3HUA				2/4TXAB025BC3HUA				2/4TXAB031BC3HUA				4TXAB032BC3HUA			
INDOOR COIL--Type	PLATE FIN				PLATE FIN				PLATE FIN				PLATE FIN				PLATE FIN			
Rows / F.P.I.	2 / 18				2 / 18				3 / 14				3 / 14				3 / 14			
Face Area (sq.ft.)	4.00				4.00				3.50				3.50				5.00			
Tube Size (in.)	3/8				3/8				3/8				3/8				3/8			
Refrigerant Control (No internal check valve)	Non-Bleed TXV				Non-Bleed TXV				Non-Bleed TXV				Non-Bleed TXV				Non-Bleed TXV			
Drain Conn. Size (in.)	3/4 NPT				3/4 NPT				3/4 NPT				3/4 NPT				3/4 NPT			
Duct Connections													-See Outline Drawings-							
REFRIGERANT CONNECTIONS	R-22	R-410A			R-22	R-410A			R-22	R-410A			R-22	R-410A			R-22	R-410A		
	BRAZED	BRAZED			BRAZED	BRAZED			BRAZED	BRAZED			BRAZED	BRAZED			BRAZED	BRAZED		
Line Size (Gas) (in.)	3/4	5/8*			3/4	5/8*			3/4	5/8*			3/4	3/4			7/8	3/4*		
Line Size (Liquid) (in.)	5/16	5/16			5/16	5/16			5/16	5/16			3/8	3/8			3/8	3/8		
DIMENSIONS (in.)	H x W x D				H x W x D				H x W x D				H x W x D				H x W x D			
Crated (H x W x D)	18-1/2x17-1/2x26-1/2				18-1/2x17-1/2x26-1/2				16-1/2x20-1/2x 26-1/2				16-1/2x20-1/2 x26-1/2				22-3/4x20-1/2x26-1/2			
Uncrated (H x W x D)													-See Outline Drawings-							
WEIGHT (lbs.)																				
Shipping -- Net	21 / 19				21 / 19				24 / 22				24 / 22				32 / 29			

	2/4TXAB036BC3HUA				2/4TXAC037BC3HUA				2/4TXAB042BC3HUA				2/4TXAC043BC3HUA				4TXAC044BC3HUA			
INDOOR COIL -- Type	PLATE FIN				PLATE FIN				PLATE FIN				PLATE FIN				PLATE FIN			
Rows / F.P.I.	3 / 14				3 / 14				3 / 14				3 / 14				3 / 14			
Face Area (sq.ft.)	5.00				5.00				5.00				5.00				6.00			
Tube Size	3/8				3/8				3/8				3/8				3/8			
Refrigerant Control (No internal check valve)	Non-Bleed TXV				Non-Bleed TXV				Non-Bleed TXV				Non-Bleed TXV				Non-Bleed TXV			
Drain Conn. Size (in.)	3/4 NPT				3/4 NPT				3/4 NPT				3/4 NPT				3/4 NPT			
Duct Connections													-See Outline Drawings-							
REFRIGERANT CONNECTIONS	R-22	R-410A			R-22	R-410A			R-22	R-410A			R-22	R-410A			R-22	R-410A		
	BRAZED	BRAZED			BRAZED	BRAZED			BRAZED	BRAZED			BRAZED	BRAZED			BRAZED	BRAZED		
Line Size -- Gas (in.)	7/8	3/4*			7/8	3/4*			7/8	3/4*			7/8	3/4*			1-1/8	7/8*		
Line Size -- Liquid (in.)	3/8	3/8			3/8	3/8			3/8	3/8			3/8	3/8			3/8	3/8		
DIMENSIONS (in.)	H x W x D				H x W x D				H x W x D				H x W x D				H x W x D			
Crated (H x W x D)	22-3/4x20-1/2x26-1/2								22-3/4x 24 x 26-1/2				22-3/4x 24 x 26-1/2				28-1/4x24x26-1/2			
Uncrated													-See Outline Drawings-							
WEIGHT (lbs)																				
Shipping -- Net	32 / 29				33 / 30				32 / 29				33 / 30				38 / 34			

	2/4TXAB048BC3HUA				2/4TXAC049BC3HUA				2/4TXAC060BC3HUA				2/4TXAD050BC3HUA				2/4TXAD061BC3HUA				2/4TXAD064BC3HUA			
INDOOR COIL -- Type	PLATE FIN				PLATE FIN				PLATE FIN				PLATE FIN				PLATE FIN				PLATE FIN			
Rows / F.P.I.	3 / 14				3 / 14				3 / 14				3 / 14				3 / 14				3 / 18			
Face Area (sq.ft.)	6.00				6.00				7.00				6.00				7.00				7.00			
Tube Size	3/8				3/8				3/8				3/8				3/8				3/8			
Refrigerant Control (No internal check valve)	Non-Bleed TXV				Non-Bleed TXV				Non-Bleed TXV				Non-Bleed TXV				Non-Bleed TXV				Non-Bleed TXV			
Drain Conn. Size (in.)	3/4 NPT				3/4 NPT				3/4 NPT				3/4 NPT				3/4 NPT				3/4 NPT			
Duct Connections													-See Outline Drawings-											
REFRIGERANT CONNECTIONS	R-22	R-410A			R-22	R-410A			R-22	R-410A			R-22	R-410A			R-22	R-410A						
	BRAZED	BRAZED			BRAZED	BRAZED			BRAZED	BRAZED			BRAZED	BRAZED			BRAZED	BRAZED						
Line Size -- Gas (in.)	1-1/8	7/8*			1-1/8	7/8*			7/8	7/8*			7/8	7/8*			7/8	7/8*						
Line Size -- Liquid (in.)	3/8	3/8			3/8	3/8			3/8	3/8			3/8	3/8			3/8	3/8						
DIMENSIONS (in.)	H x W x D				H x W x D				H x W x D				H x W x D				H x W x D							
Crated (H x W x D)	28-1/4x20-1/2x26-1/2				28-1/4x24x26-1/2				31-1/2x27-1/2x26-1/2				28-1/4x27-1/2x26-1/2				31-1/2x27-1/2x26-1/2							
Uncrated													-See Outline Drawings-											
WEIGHT (lbs)																								
Shipping -- Net	36 / 33				38 / 34				44 / 40				39 / 35				45 / 41							

* Reducer supplied with R-410A models

[1] These indoor coils are A.R.I. certified with various split system air conditioners and heat pumps (A.R.I. Standard 210/240). Refer to the split system product data guides for performance data.



General Data

PRODUCT SPECIFICATIONS^[1] – 2/4 TXC-BC - SPLIT SYSTEM HEAT PUMP / COOLING COMFORT™ COILS CASED UPFLOW / DOWNFLOW / HORIZONTAL

	2/4TXCA018BC3HCA		2/4TXCA024BC3HCA		2/4TXCB025BC3HCA		2/4TXCB031BC3HCA		4TXCB032BC3HCA	
INDOOR COIL -- Type	PLATE FIN		PLATE FIN		PLATE FIN		PLATE FIN		PLATE FIN	
Rows / F.P.I.	2 / 18		2 / 18		3 / 14		3 / 14		3 / 14	
Face Area (sq.ft.)	3.50		4.00		3.50		3.50		5.00	
Tube Size	3/8		3/8		3/8		3/8		3/8	
Refrigerant Control (No internal check valve)	Non-Bleed TXV		Non-Bleed TXV		Non-Bleed TXV		Non-Bleed TXV		Non-Bleed TXV	
Drain Conn. Size (in.)	3/4 NPT		3/4 NPT		3/4 NPT		3/4 NPT		3/4 NPT	
Duct Connections	-See Outline Drawings-									
REFRIGERANT CONNECTIONS	R-22	R-410A	R-22	R-410A	R-22	R-410A	R-22	R-410A	R-22	R-410A
	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED
Line Size -- Gas (in.)	5/8	1/2*	3/4	5/8*	3/4	5/8*	3/4	3/4	7/8	3/4*
Line Size -- Liquid (in.)	1/4	1/4	5/16	5/16	5/16	5/16	5/16	5/16	3/8	3/8
DIMENSIONS (in.)	H X W X D		H X W X D		H X W X D		H X W X D		H X W X D	
Crated (H x W x D)	15-1/2x17-1/2x26-1/2		18-1/2x17-1/2x26-1/2		16-1/2x20-1/2x26-1/2		16-1/2x20-1/2x26-1/2		22-3/4x20-1/2x26-1/2	
Uncrated	-See Outline Drawings-									
WEIGHT (lbs)										
Shipping -- Net	36 / 34		36 / 34		40 / 38		40 / 38		48 / 45	

	2/4TXCB036BC3HCA		2/4TXCC037BC3HCA		2/4TXCB042BC3HCA		2/4TXCC043BC3HCA		4TXCC044BC3HCA	
INDOOR COIL -- Type	PLATE FIN		PLATE FIN		PLATE FIN		PLATE FIN		PLATE FIN	
Rows / F.P.I.	3 / 14		3 / 14		3 / 14		3 / 14		3 / 14	
Face Area (sq.ft.)	5.00		5.00		5.00		5.00		6.00	
Tube Size	3/8		3/8		3/8		3/8		3/8	
Refrigerant Control (No internal check valve)	Non-Bleed TXV		Non-Bleed TXV		Non-Bleed TXV		Non-Bleed TXV		Non-Bleed TXV	
Drain Conn. Size (in.)	3/4 NPT		3/4 NPT		3/4 NPT		3/4 NPT		3/4 NPT	
Duct Connections	-See Outline Drawings-									
REFRIGERANT CONNECTIONS	R-22	R-410A	R-22	R-410A	R-22	R-410A	R-22	R-410A	R-22	R-410A
	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED
Line Size -- Gas (in.)	7/8	3/4*	7/8	3/4*	7/8	3/4*	7/8	3/4*	1-1/8	7/8*
Line Size -- Liquid (in.)	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
DIMENSIONS (in.)	H X W X D		H X W X D		H X W X D		H X W X D		H X W X D	
Crated (H x W x D)	22-3/4x20-1/2x26-1/2		22-3/4x24x26-1/2		22-3/4x20-1/2x26-1/2		22-3/4x24x26-1/2		28-1/4x24x26-1/2	
Uncrated	-See Outline Drawings-									
WEIGHT (lbs)										
Shipping -- Net	48 / 45		51 / 48		48 / 45		51 / 48		55 / 51	

	2/4TXCB048BC3HCA		2/4TXCC049BC3HCA		2/4TXCD050BC3HCA		2/4TXCC060BC3HCA		2/4TXCD061BC3HCA		2/4TXCD064BC3HCA	
INDOOR COIL -- Type	PLATE FIN		PLATE FIN		PLATE FIN		PLATE FIN		PLATE FIN		PLATE FIN	
Rows / F.P.I.	3 / 14		3 / 14		3 / 14		3 / 14		3 / 14		3 / 18	
Face Area (sq.ft.)	6.00		6.00		6.00		7.00		7.00		7.00	
Tube Size	3/8		3/8		3/8		3/8		3/8		3/8	
Refrigerant Control (No internal check valve)	Non-Bleed TXV		Non-Bleed TXV		Non-Bleed TXV		Non-Bleed TXV		Non-Bleed TXV		Non-Bleed TXV	
Drain Conn. Size (in.)	3/4 NPT		3/4 NPT		3/4 NPT		3/4 NPT		3/4 NPT		3/4 NPT	
Duct Connections	-See Outline Drawings-											
REFRIGERANT CONNECTIONS	R-22	R-410A	R-22	R-410A	R-22	R-410A	R-22	R-410A	R-22	R-410A	R-22	R-410A
	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED	BRAZED
Line Size -- Gas (in.)	1-1/8	7/8*	1-1/8	7/8*	1-1/8	7/8*	1-1/8	7/8*	1-1/8	7/8*	1-1/8	7/8*
Line Size -- Liquid (in.)	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
DIMENSIONS (in.)	H X W X D		H X W X D		H X W X D		H X W X D		H X W X D		H X W X D	
Crated (H x W x D)	28-1/4x20-1/2x26-1/2		28-1/4x24x26-1/2		28-1/4x27-1/2x26-1/2		31-1/2x24x26-1/2		31-1/2x27-1/2x26-1/2		31-1/2x27-1/2x26-1/2	
Uncrated	-See Outline Drawings-											
WEIGHT (lbs)												
Shipping -- Net	51 / 49		55 / 51		59 / 55		69 / 65		72 / 68		72 / 68	


* Reducer supplied with R-410A models

[1] These indoor coils are A.R.I. certified with various split system air conditioners and heat pumps (A.R.I. Standard 210/240).
Refer to the split system product data guides for performance data.

Performance Data

PRESSURE DROP CHARACTERISTICS FOR COOLING AND HEAT PUMP COILS								
AIRFLOW (CFM) VS. PRESSURE DROP ACROSS WET COIL								
PRESSURE DROP (INCHES OF WATER COLUMN)								
MODEL	.05	0.1	0.15	0.2	0.25	0.3	0.35	0.4
2/4TXAA018BC3HUA 2/4TXCA018BC3HCA	360	545	690	820	930	1040	1135	1230
2/4TXAA024BC3HUA 2/4TXCA024BC3HCA	360	545	690	820	930	1040	1135	1230
2/4TXAB025BC3HUA 2/4TXAB031BC3HUA 2/4TXCB025BC3HCA 2/4TXCB031BC3HCA	310	515	700	865	1020	1170	1310	1450
4TXAB032BC3HUA 2/4TXAB036BC3HUA 2/4TXAB042BC3HUA 4TXCB032BC3HCA 2/4TXCB036BC3HCA 2/4TXCB042BC3HCA	480	690	860	1005	1130	1250	1360	1460
2/4TXAB048BC3HUA 2/4TXCB048BC3HCA	470	680	840	980	1110	1220	1330	1425
2/4TXAC037BC3HUA 2/4TXAC043BC3HUA 2/4TXCC037BC3HCA 2/4TXCC043BC3HCA	630	900	1105	1280	1440	1520	1710	1830
4TXAC044BC3HUA 2/4TXAC049BC3HUA 4TXCC044BC3HCA 2/4TXCC049BC3HCA	675	970	1200	1390	1560	1715	1860	2000
2/4TXAC060BC3HUA 2/4TXCC060BC3HCA	680	965	1190	1375	1540	1685	1820	1950
2/4TXAD050BC3HUA 2/4TXCD050BC3HCA	810	1140	1390	1600	1790	1950	2110	2250
2/4TXAD061BC3HUA 2/4TXCD061BC3HCA	820	1155	1410	1620	1810	1980	2130	2280
2/4TXAD064BC3HUA 2/4TXCD064BC3HCA	670	1000	1250	1470	1670	1850	2020	2180


Outline Drawing for 2/4TXAA018BC3HUA, 2/4TXAC024BC3HUA, 2/4TXAB025BC3HUA, 2/4TXAB031BC3HUA, 4TXAB032BC3HUA, 2/4TXAB036BC3HUA, 2/4TXAB042BC3HUA, 2/4TXAB048BC3HUA, 2/4TXAC037BC3HUA, 2/4TXAC043BC3HUA, 4TXAC044BC3HUA, 2/4TXAC049BC3HUA, 2/4TXAC060BC3HUA, 2/4TXAD050BC3HUA, 2/4TXAD061BC3HUA, 2/4TXAD064BC3HUA (All dimensions are in inches)




MODEL	2TXAA08BC3HUA 2TXAA09BC3HUA 2TXAA024BC3HUA 2TXAA025BC3HUA	2TXAB025BC3HUA 2TXAB031BC3HUA 2TXAB036BC3HUA 2TXAB042BC3HUA	2TXAB048BC3HUA 2TXAB049BC3HUA 2TXAB050BC3HUA 2TXAB051BC3HUA	2TXAC037BC3HUA 2TXAC043BC3HUA 2TXAC044BC3HUA 2TXAC049BC3HUA	2TXAC060BC3HUA 2TXAD050BC3HUA 2TXAD061BC3HUA 2TXAD064BC3HUA	2TXAD065BC3HUA 2TXAD066BC3HUA 2TXAD067BC3HUA 2TXAD068BC3HUA	2TXAD069BC3HUA 2TXAD070BC3HUA 2TXAD071BC3HUA 2TXAD072BC3HUA	2TXAD073BC3HUA 2TXAD074BC3HUA 2TXAD075BC3HUA 2TXAD076BC3HUA	2TXAD077BC3HUA 2TXAD078BC3HUA 2TXAD079BC3HUA 2TXAD080BC3HUA	2TXAD081BC3HUA 2TXAD082BC3HUA 2TXAD083BC3HUA 2TXAD084BC3HUA	2TXAD085BC3HUA 2TXAD086BC3HUA 2TXAD087BC3HUA 2TXAD088BC3HUA	2TXAD089BC3HUA 2TXAD090BC3HUA 2TXAD091BC3HUA 2TXAD092BC3HUA	2TXAD093BC3HUA 2TXAD094BC3HUA 2TXAD095BC3HUA 2TXAD096BC3HUA	2TXAD097BC3HUA 2TXAD098BC3HUA 2TXAD099BC3HUA 2TXAD100BC3HUA
WEIGHT (LBS)	19	22	29	30	33	34	35	40	41	41	41	41	41	41
REFRIGERANT CONTROL	17-3/8	15	21-1/4	20-3/4	25-3/16	24-15/16	24-3/8	29-1/8	28-9/16	28-9/16	28-9/16	28-9/16	28-9/16	28-9/16
HEIGHT X IN	13-1/4	13-1/4	16-1/4	19-3/4	16-1/4	19-3/4	23-1/4	19-3/4	23-1/4	23-1/4	23-1/4	23-1/4	23-1/4	23-1/4
OVERALL WIDTH X IN	1-3/4	1-3/4	9	12-1/2	9	12-1/2	16	12-1/2	12-1/2	12-1/2	12-1/2	12-1/2	12-1/2	12-1/2
OPENING WIDTH X IN	1-3/8	1-3/8	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
ICE CONNECTION	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"
WATER GAS REDUCER	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"
WATER CONNECTION	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"	5/8" X 3/4"
DRAIN PAN	17-11/16	17-11/16	17-11/16	17-11/16	17-11/16	17-11/16	17-11/16	17-11/16	17-11/16	17-11/16	17-11/16	17-11/16	17-11/16	17-11/16
DRAIN PAN	21-1/8	21-1/8	21-1/8	21-1/8	21-1/8	21-1/8	21-1/8	21-1/8	21-1/8	21-1/8	21-1/8	21-1/8	21-1/8	21-1/8
PLASTIC	3/8 BRASS	3/8 BRASS	3/8 BRASS	3/8 BRASS	3/8 BRASS	3/8 BRASS	3/8 BRASS	3/8 BRASS	3/8 BRASS	3/8 BRASS	3/8 BRASS	3/8 BRASS	3/8 BRASS	3/8 BRASS

REDUCER SUPPLIED
WITH R-410A MODELS

(All dimensions are in inches)



(All dimensions are in inches)



Pub. No. 22-1813-02





TRANE®

Trane Inc.
6200 Troup Highway
Tyler, TX 75707
www.trane.com

For more information contact
your local dealer (distributor)

Since **Trane** has a policy of continuous product improvement, it reserves the right to change design and specifications without notice.